

BN2 4JU

Tel: +44 (0) 1273 606271 Fax: +44 (0) 1273 609990 enquiries@west-cs.com www.west-cs.com

## UK CA

## **UK DECLARATION OF CONFORMITY**

## CAL 33xx, 93xx, 94xx, 95xx Series (And corresponding branded products)

This product is manufactured at the premises of West Control Solutions, The Hyde Business Park, Brighton, East Sussex, BN2 4JU, England, UK

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The objects of this declaration are the products identified using the model numbers derived from the tables listed below.

The objects of this declaration are in conformity with the following UK legislation:

Electromagnetic Compatibility Regulations 2016 The Electrical Equipment (Safety) Regulations 2016 The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The assessment of conformity has been made using the standards route to compliance. The standards this product is compliant with are listed below: -

BS EN 61326-1:2013 Electrical equipment for measurement, control and laboratory use — EMC Requirements — Part 1: General Requirements

FCC Title 47 Chapter 1A Part 15B RADIO FREQUENCY DEVICES FCC Title 47 Chapter 1A Part 18 INDUSTRIAL, SCIENTIFIC, AND MEDICAL EQUIPMENT BS EN55011:2009 + A1:2010 Industrial, scientific and medical equipment – Radio Frequency disturbance characteristics – Limits and methods of measurement

This product has been evaluated as Class A equipment suitable for operation in Industrial Locations against this standard.

WARNING

This is a Class A product. In a domestic environment this product may cause radio interference in



West Control Solutions is a division of TGA Industries Ltd Registered in England No: 06020956 VAT No. GB788088859 Registered Office: Gems Sensors, Lennox Road, Basingstoke, England, RG22 4AW.



which case the user may be required to take adequate measures.

UL 61010-1 Edition 3, Safety requirements for electrical equipment for measurement, control and laboratory use; Part 1: General Requirements

## BS EN IEC 63000:2018, Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances.

This declaration is made for and on behalf of Fortive by Paul Barber, who has been designated as the responsible person for the purpose of the regulations.

Signature:

Date of Issue: 01 October 2021

(Paul Barber)

Model Number		CAL33	хх	00	x	x	x		
Output type									
Standard unit 2 outputs (SSD & RELAY)			00	00					
2 outputs (REL/REL)			11	00		0			
2 outputs (SSD & SSD)			22	00					
Option									
No option fitted					0				
RS232 comms (MODBUS Protocol)					2				
RS 485 comms (MODBUS Protocol)					4				
Power supply options									
Standard 100-240vac						0			
Low-volts 12-24V ac/dc****						3			
Standard/custom code									
Standard code							0		
Custom code							xx		
	CA102		00						
Model Number	CAL93	XX	00		X	Х	X		
Output type									
Standard unit 2 outputs (SSD & RELAY)		00	00	Τ					
2 outputs (REL/REL)		11	00			0			
2 outputs (SSD & SSD)		22	00						
Option							_		
No option fitted					0				
RS232 comms comms (MODBUS Protocol)					2				





RS 485 comms (MODBUS Protocol)				4				
Power supply options								
Standard 100-240vac					0			
Low-volts 12-24V ac/dc (**see notes below)					3			
Standard/custom code								
Standard code						0		
Custom code						хх		
Notes								





Model Number	CAL94	хх	00	x	х	х			
Output type	-	-	-	-	-	-			
Standard unit 2 outputs (SSD & RELAY)		00	00						
2 outputs (REL/REL)		11	00						
2 outputs (SSD & SSD)		22	00						
Option									
No option fitted				0					
RS232 comms comms (MODBUS Protocol)				2					
RS 485 comms (MODBUS Protocol)				4					
Power supply options									
Standard 100-240vac					0				
Standard/custom code									
Standard code						0			
Custom code						xx			





Model Number	CAL95	хх	1	Р	х	х	х	х	
Output type			-	<b>r</b>		-	1		
Standard unit 3 outputs (SSD/REL/REL)		00	1						
3 outputs (REL/REL/REL)		11	1						
3 outputs (SSD/SSD/REL)		22	1						
4-20mA, relay		B1	1						
4-20mA, SSD		B2	1						
0-5vdc, relay		C1	1						
0-5vdc, SSD		C2	1						
0-10vdc, relay		D1	1						
0-10vdc, SSD		D2	1						
Controller/Profiler									
Obsolete (Controller Version)				0					
Profiler				Р					
Input type									
T/C or 3-wire pt100					А				
4-20mA					В				
0-5vdc					С				
0-10vdc					D				
Option	1								
Option Slot B						0			
RS232 comms comms (MODBUS Protocol)						2			
RS 485 comms (MODBUS Protocol)						4			
Power supply options									
Standard 100-240vac							0		
Standard/custom code									
Standard code								0	
Custom code								xx	

